

Event-related fMRI

Christian Ruff


Laboratory for Social and Neural Systems Research
Department of Economics
University of Zurich

Institute of Neurology
University College London


With thanks to the FIL methods group, in particular Rik Henson




Image time-series




Kernel



Design matrix



Statistical parametric map (SPM)



Realignment

Smoothing


General linear model

Statistical inference


Gaussian field theory

Normalisation


Template



Parameter estimates



$p < 0.05$




Overview


1. Block/epoch vs. event-related fMRI
2. (Dis)Advantages of efMRI
3. GLM: Convolution
4. BOLD impulse response
5. Temporal Basis Functions
6. Timing Issues
7. Design Optimisation – “Efficiency”

Block/epoch designs vs event-related designs

Block/epoch designs examine responses to series of similar stimuli



Event-related designs account for response to each single stimulus



Advantages of event-related fMRI

1. Randomised trial order

efMRI: Randomised trial order

Blocked designs may trigger expectations and cognitive sets



Unpleasant (U)

Pleasant (P)

Intermixed designs can minimise this by stimulus randomisation



Pleasant (P)

Unpleasant (U)

Unpleasant (U)

Pleasant (P)


Unpleasant (U)

Advantages of event-related fMRI


1. Randomised trials order
2. Post-hoc subjective classification of trials

efMRI: Post-hoc classification of trials

Study phase (visual stimuli)



Test phase (auditory stimuli)



Participant response:

„was *not* shown as picture“




„was shown as picture“

Items with wrong memory of picture („hat“) were associated with more occipital activity *at encoding* than items with correct rejection („brain“)

Advantages of event-related fMRI

1. Randomised trials order
2. Post-hoc subjective classification of trials
3. Some events can only be indicated by participant


efMRI: Online event definition



Advantages of event-related fMRI

1. Randomised trials order
2. Post-hoc subjective classification of trials
3. Some events can only be indicated by participant
4. Some events cannot be blocked due to stimulus context

efMRI: Stimulus context




Advantages of event-related fMRI


1. Randomised trials order
2. Post-hoc subjective classification of trials
3. Some events can only be indicated by participant
4. Some events cannot be blocked due to stimulus context
5. More accurate model even for epoch/block designs?

“Event” model of block design

“Epoch” model assumes constant neural processes throughout block



“Event” model may capture state-item interactions (with longer SOAs)




Modeling block designs: Epochs vs events

Designs can be blocked or intermixed,
BUT models for blocked designs can be
epoch- or event-related

Epochs are periods of sustained
stimulation (e.g, box-car functions)
Events are impulses (delta-functions)


Near-identical regressors can be created
by 1) sustained epochs, 2) rapid series of
events (SOAs < ~3s)

In SPM8, all conditions are specified in
terms of their 1) onsets and 2) durations
... epochs: variable or constant duration
... events: zero duration



Modeling block designs: Epochs vs events

- Blocks of trials can be modeled as boxcars or runs of events
- BUT: interpretation of the parameter estimates may differ
- Consider an experiment presenting words at different rates in different blocks:
 - ▶ An “epoch” model will estimate parameter that increases with rate, because the parameter reflects response per block
 - ▶ An “event” model may estimate parameter that decreases with rate, because the parameter reflects response per word



Disadvantages of intermixed designs


1. Less efficient for detecting effects than blocked designs
(see later...)
2. Some psychological processes have to/may be better blocked
(e.g., if difficult to switch between states, or to reduce surprise effects)

Overview

1. Block/epoch vs. event-related fMRI
2. (Dis)Advantages of efMRI
- 3. GLM: Convolution**
- 4. BOLD impulse response**
5. Temporal Basis Functions
6. Timing Issues
7. Design Optimisation – “Efficiency”


BOLD impulse response

- Function of blood oxygenation, flow, volume
- Peak (max. oxygenation) 4-6s poststimulus; baseline after 20-30s
- Initial undershoot can be observed
- Similar across V1, A1, S1...
- ... but possible differences across:
 - other regions
 - individuals



BOLD impulse response

- Early event-related fMRI studies used a long Stimulus Onset Asynchrony (SOA) to allow BOLD response to return to baseline
- However, overlap between successive responses at short SOAs can be accommodated if the BOLD response is explicitly modeled, particularly if responses are assumed to superpose linearly
- Short SOAs are more sensitive; see later



General Linear (Convolution) Model

GLM for a single voxel:

$$y(t) = u(t) \otimes h(\tau) + \varepsilon(t)$$

$u(t)$ = neural causes (stimulus train)

$$u(t) = \sum \delta(t - nT)$$


$h(\tau)$ = hemodynamic (BOLD) response

$$h(\tau) = \sum \beta_i f_i(\tau)$$

$f_i(\tau)$ = temporal basis functions


$$y(t) = \sum \sum \beta_i f_i(t - nT) + \varepsilon(t)$$

$$\mathbf{y} = \mathbf{X} \boldsymbol{\beta} + \boldsymbol{\varepsilon}$$



General Linear Model in SPM

Stimulus
every 20s




Gamma functions $f_i(\tau)$ of
peristimulus time τ
(Orthogonalised)




Sampled every TR = 1.7s

Design matrix, $\mathbf{X}$

$[x(t) \otimes f_1(\tau) \mid x(t) \otimes f_2(\tau) \mid \dots]$







...



Overview

1. Block/epoch vs. event-related fMRI
2. (Dis)Advantages of efMRI
3. GLM: Convolution
4. BOLD impulse response
- 5. Temporal Basis Functions**
6. Timing Issues
7. Design Optimisation – “Efficiency”


Temporal basis functions



Temporal basis functions


- **Fourier Set**

- Windowed sines & cosines
- Any shape (up to frequency limit)
- Inference via F-test



- **Finite Impulse Response**


- Mini “timebins” (selective averaging)
- Any shape (up to bin-width)
- Inference via F-test



Temporal basis functions


- **Fourier Set / FIR**

- Any shape (up to frequency limit / bin width)
- Inference via F-test




- **Gamma Functions**

- Bounded, asymmetrical (like BOLD)
- Set of different lags
- Inference via F-test




- **“Informed” Basis Set**

- Best guess of canonical BOLD response
- Variability captured by Taylor expansion
- “Magnitude” inferences via t-test...?




Informed basis set



Canonical


- Canonical HRF (2 gamma functions)

Informed basis set




- Canonical HRF (2 gamma functions)
plus Multivariate Taylor expansion in:
 - time (Temporal Derivative)

Informed basis set




- Canonical HRF (2 gamma functions)
plus Multivariate Taylor expansion in:
 - time (Temporal Derivative)

Informed basis set




- Canonical HRF (2 gamma functions)
- plus Multivariate Taylor expansion in:
- time (Temporal Derivative)
 - width (Dispersion Derivative)

Informed basis set



- Canonical HRF (2 gamma functions)
plus Multivariate Taylor expansion in:
 - time (Temporal Derivative)
 - width (Dispersion Derivative)

Informed basis set



- Canonical HRF (2 gamma functions)


plus Multivariate Taylor expansion in:

- time (Temporal Derivative)
- width (Dispersion Derivative)

- “Magnitude” inferences via t-test on canonical parameters (providing canonical is a reasonable fit)
- “Latency” inferences via tests on ratio of derivative : canonical parameters

Which temporal basis set?

In this example (rapid motor response to faces, *Henson et al, 2001*)...




- ... canonical + temporal + dispersion derivatives appear sufficient to capture most activity
- ... may not be true for more complex trials (e.g. stimulus-prolonged delay (>~2 s)-response)
- ... but then such trials better modelled with separate neural components (i.e., activity no longer delta function) + constrained HRF

Overview

1. Block/epoch vs. event-related fMRI
2. (Dis)Advantages of efMRI
3. GLM: Convolution
4. BOLD impulse response
5. Temporal Basis Functions
- 6. Timing Issues**
7. Design Optimisation – “Efficiency”


Timing issues: Sampling

- Typical TR for 60 slice EPI at 3 mm spacing is $\sim 3-4s$




Timing issues: Sampling

- Typical TR for 60 slice EPI at 3 mm spacing is $\sim 3\text{-}4\text{s}$
- Sampling at $[0, 4, 8, 12 \dots]$ post-stimulus may miss peak signal




Stimulus (synchronous)




Timing issues: Sampling





- Typical TR for 60 slice EPI at 3 mm spacing is $\sim 3\text{-}4\text{s}$
- Sampling at $[0, 4, 8, 12\dots]$ post- stimulus may miss peak signal
- Higher effective sampling by:
 1. Asynchrony; e.g., $\text{SOA} = 1.5\text{TR}$
 2. Random Jitter; e.g., $\text{SOA} = (2 \pm 0.5)\text{TR}$
- Better response characterisation



Stimulus (random jitter)



Timing issues: Slice Timing




Timing issues: Slice Timing

“Slice-timing Problem”:

- ▶ Slices acquired at different times, yet model is the same for all slices
- ▶ different results (using canonical HRF) for different reference slices
- ▶ (slightly less problematic if middle slice is selected as reference, and with short TRs)

Solutions:

1. Temporal interpolation of data
... but less good for longer TRs
2. More general basis set (e.g., with temporal derivatives)
... but inferences via F-test




Overview

1. Block/epoch vs. event-related fMRI
2. (Dis)Advantages of efMRI
3. GLM: Convolution
4. BOLD impulse response
5. Temporal Basis Functions
6. Timing Issues
- 7. Design Optimisation – “Efficiency”**


Design efficiency

- HRF can be viewed as a filter (Josephs & Henson, 1999)
 - We want to maximise the signal passed by this filter
 - Dominant frequency of canonical HRF is ~ 0.04 Hz
- ➔ The most efficient design is a sinusoidal modulation of neural activity with period ~ 24 s (e.g., boxcar with 12s on/ 12s off)




Sinusoidal modulation, $f = 1/33$

Stimulus ("Neural")





$\otimes$

HRF




$=$


Predicted Data



$\times$




$=$




A very "efficient" design!

Blocked, epoch = 20 sec


Stimulus (“Neural”)



HRF




Predicted Data





$\otimes$

$=$



$\times$


$=$




Blocked-epoch (with small SOA) quite “efficient”

Blocked (80s), SOAmin=4s, highpass filter = 1/120s


Stimulus ("Neural")



HRF




Predicted Data



⊗



=

"Effective HRF" (after highpass filtering)
(Josephs & Henson, 1999)



×


=




Very ineffective: Don't have long (>60s) blocks!

Randomised, SOAmin=4s, highpass filter = 1/120s


Stimulus ("Neural")



HRF




Predicted Data





$\otimes$

$=$



$\times$

$=$



Randomised design spreads power over frequencies

Design efficiency

- T-statistic for a given contrast: $T = c^T b / \text{var}(c^T b)$
- For maximum T , we want maximum precision and hence minimum standard error of contrast estimates ($\text{var}(c^T b)$)
- $\text{Var}(c^T b) = \text{sqrt}(\sigma^2 c^T (X^T X)^{-1} c)$ (i.i.d)
- If we assume that noise variance (σ^2) is unaffected by changes in X , then our precision for given parameters is proportional to the *design efficiency*: $e(c, X) = \{ c^T (X^T X)^{-1} c \}^{-1}$
- ➔ We can influence e (a priori) by the spacing and sequencing of epochs/events in our design matrix
- ➔ e is specific for a given contrast!

Design efficiency: Trial spacing


- Design parametrised by:

- SOA_{min} Minimum SOA
- $p(t)$ Probability of event at each SOA_{min}

- Deterministic
 $p(t)=1$ iff $t=nSOA_{min}$

- Stationary stochastic
 $p(t)=constant$

- Dynamic stochastic
 $p(t)$ varies (e.g., blocked)






Blocked designs most efficient! (with small SOA_{min})

Design efficiency: Trial spacing

- However, block designs are often not advisable due to interpretative difficulties (see before)
- Event trains may then be constructed by modulating the event probabilities in a dynamic stochastic fashion
- This can result in intermediate levels of efficiency

e




3 sessions with 128 scans
Faces, scrambled faces
SOA always 2.97 s
Cycle length 24 s

Design efficiency: Trial sequencing

- Design parametrised by:
 - SOA_{min} Minimum SOA
 - $p_i(\mathbf{h})$ Probability of event-type i given history $\mathbf{h}$ of last m events
- With n event-types $p_i(\mathbf{h})$ is a $n \times n$ *Transition Matrix*
- Example: Randomised AB

	A	B
A	0.5	0.5
B	0.5	0.5

=> **ABBBABAABABAAA...**



Design efficiency: Trial sequencing

- Example: Alternating AB


	A	B
A	0	1
B	1	0

=> **ABABABABABAB...**

- Example: Permuted AB

	A	B
AA	0	1
AB	0.5	0.5
BA	0.5	0.5
BB	1	0

=> **ABBAABABABBA...**




Design efficiency: Trial sequencing

- Example: Null events

	A	B
A	0.33	0.33
B	0.33	0.33

=> AB-BAA--B---ABB...

- Efficient for differential and main effects at short SOA
- Equivalent to stochastic SOA (Null Event like third unmodelled event-type)



Design efficiency: Conclusions

- ▶ Optimal design for one contrast may not be optimal for another
- ▶ Blocked designs generally most efficient (with short SOAs, given optimal block length is not exceeded)
- ▶ However, psychological efficiency often dictates intermixed designs, and often also sets limits on SOAs
- ▶ With randomised designs, optimal SOA for differential effect (A-B) is minimal SOA (>2 seconds, and assuming no saturation), whereas optimal SOA for main effect (A+B) is 16-20s
- ▶ Inclusion of null events improves efficiency for main effect at short SOAs (at cost of efficiency for differential effects)
- ▶ If order constrained, intermediate SOAs (5-20s) can be optimal
- ▶ If SOA constrained, pseudorandomised designs can be optimal (but may introduce context-sensitivity)